BAILEY®

PRODUCT GUIDE

BAILEY
LEANSAFE
150kg

AUSTRALIA'S #1 LADDER BRAND
BAILEYLADDERS.COM.AU

BAILEY LADDERS EXCLUSIVE
PRODUCT WARRANTY AGAINST DEFECTS

★★★★★
LIMITED LIFETIME
WARRANTY*
★★★★★

Professional Reliability Guaranteed

We are proud to offer an exclusive, market leading **Limited Lifetime Warranty** on our range of Professional Punchlock® Step Ladders, Punchlock® Dual Purpose Ladders and Punchlock® Platform Ladders. Designed for durability and performance, our Punchlock® ladders are crafted with the highest standards of materials and workmanship, ensuring they stand the test of time.

5 YEARS
MANUFACTURER
WARRANTY*

Quality You Can Trust

We are proud to offer a robust **5-year warranty** on our range of high-quality riveted ladders, Extension Ladders and the Ladderweld range. Built to withstand the demands of professional use, our ladders are engineered with superior materials and workmanship, ensuring dependable performance for years to come.

1 YEAR
MANUFACTURER
WARRANTY*

1 Year Manufacturer Warranty

We offer a **1 year manufacturer warranty against defects** in materials and workmanship on all other products.

Invest in a Bailey Ladder for unparalleled professional reliability and the security of a market leading manufacturer warranty. Trust in a brand that stands behind its products, ensuring you have the support you need, whenever you need it.

Effective for products manufactured on or after 1st July 2024, this comprehensive warranty covers any defects in materials and workmanship from the date of purchase.

Check product pages for information on which warranty applies to your ladder, and visit our website for detailed warranty information.

To submit a warranty claim, please contact Werner Co Australia by mail, phone, or email at the contact information below:

Postal Address
PO Box 197, Browns Plains, QLD 4118.

Phone Number (Australian Enquiries)
1300 760 717

Phone Number (New Zealand Enquiries)
0800 230 004

Email
aus.customercare@prodrivenbrands.com

FIND OUT MORE

BAILEY PRODUCT GUIDE 2025
CONTENTS

Choosing The Right Ladder

PAGE 4

Load/Duty Ratings & Ladder Safety

PAGE 6

Single Side Leaning & Double Sided Stepladders

PAGE 9

A general purpose Stepladder accessed from a Single Side only or both sides, on a Double Sided Stepladder.

Multi-Purpose Ladders

PAGE 12

Highly versatile – can be used as a Stepladder and a Straight Ladder with adjustable heights, or separated into two low-level trestles.

LeanSafe X3 Ladders

PAGE 14

A revolutionary new design of ladder that can be used as Step Ladder, a Leaning Ladder or a Straight Ladder.

Dual Purpose Ladders

PAGE 15

Highly versatile (2 in 1) – converts from a Stepladder to a Straight Ladder.

Step Extension Ladders

PAGE 17

Innovative in function - the most compact conversion style available - quickly and easily convert between a Step, Leaning and Straight Ladder.

Extension & Single Ladders

PAGE 19

Designed for height access for builders, carpenters, plumbers and serious DIY. Fixed length or height adjustable.

Platform Stepladders

PAGE 24

Provides a safe work platform when working at heights. Can be closed for storage.

Safety Steps

PAGE 30

A compact access solution where storage space is at a premium.

Attic Ladders

PAGE 30

Lightweight, aluminium ladders designed to access roof spaces.

Order Pickers & Access Platforms

PAGE 32

Used for moderate/frequent use stock picking applications.

Modular Access Platform Systems

PAGE 33

A versatile Platform System that can be configured to your requirements up to a platform height of 1.65m.

CHOOSING THE RIGHT LADDER

STEP 1 – LADDER SIZE

Choose the correct size of ladder for the job

- 1m = 3 feet approximately

STEPLADDERS	
Ladder Size	Max. Reach Height
2	2.0m
3	2.3m
4	2.6m
5	2.9m
6	3.2m
7	3.5m
8	3.8m
10	4.4m
12	5.0m

EXTENSION LADDERS	
Ladder Size	Max. Reach Height
8	5.0m
10	6.2m
12	7.4m
14	8.9m
15	9.5m
16	10.1m
17	10.7m
18	11.6m
20	12.2m

PLATFORMS	
Platform Size	Max. Reach Height
2	2.6m
3	2.9m
4	3.2m
5	3.5m
6	3.75m
7	4.0m
8	4.3m
10	4.9m
12	5.5m

STEP 2 – LADDER TYPE

Choose the correct type of ladder for the job

Step Stool

Platform Stepladder

Single Sided Stepladder

Double Sided Stepladder

Multi & Dual-Purpose Ladders

Single & Extension Ladder

Order Picker & Access Platform

Modular Access Systems

STEP 3 – LADDER MATERIAL

Choose the right construction

Aluminium:
Lightweight

Fibreglass:
Electro – Safe™
(non-conductive)

STEP 4 – LOAD/DUTY RATING

Choose a suitable load and duty rating



Load Rating: The maximum load including the weight of the user, materials and tools that the ladder is intended to carry.

Duty Rating: The rating assigned to a ladder, ie. industrial or domestic, which indicates the service capability of the ladder.

GUTTERS	
Single Storey	
2.4m	2.7m
Double Storey	
5.1m	5.7m

EXTERIOR WALLS	
Windows	
2.4m	2.7m

CEILINGS	
Light Fittings	
2.4m	2.7m

INTERIOR WALLS	
Wall Hangings	
2.4m	2.7m

LOAD/ DUTY RATINGS IN DETAIL AND LADDER SAFETY

What is a ‘load rating’?

The maximum safe working load of the ladder, including the weight of the user tools/equipment and materials they are carrying.

Exceeding the safe working load is dangerous and voids warranties.
A minimum load rating of 120kg must be used in all 'workplaces'.

What is a ‘duty rating’?

The duty rating is assigned by the manufacturer based on the product’s design parameters.

There are two duty ratings: Domestic and Industrial. Only ladders with an ‘Industrial’ duty rating can be used in any workplace.

Ratings Explained

DOMESTIC 100KG

DOMESTIC

For domestic use in and around the home e.g. cleaning, cupboard access. Must not be used in a workplace. Made to the requirements of Australian Standards AS1892.

INDUSTRIAL 135KG

INDUSTRIAL 120KG

INDUSTRIAL

For moderate industrial use.
An industrial grade of ladder for trade or serious DIY/handyman. Made to the requirements of Australian Standards AS1892.

INDUSTRIAL 200KG

INDUSTRIAL 170KG

INDUSTRIAL 160KG

INDUSTRIAL 150KG

INDUSTRIAL 140KG

INDUSTRIAL – HEAVY DUTY – PROFESSIONAL

For heavy duty industrial trade/ commercial use by professional contractors, tradespersons, workplaces or serious DIY/handyman. Made to the requirements of Australian Standards AS1892.

Ladder Safety and General Principles

- Ladders must be handled with care at all times.
- Observe the manufacturer's warnings and instructions.
- Observe closely the area in which you wish to position the ladder and assess for risks (e.g. open door ways, overhead power lines, uneven ground).
- Where a risk is present, remove (or reduce to an acceptable level) the risk, or seek an alternative safe means of access.
- Ladders are designed and built for a specific use. Read the warning labels and never use a ladder that is not recommended by the manufacturer.
- Choose the right type of ladder and the correct height for the task at hand.
- Always inspect the ladder for damage prior to use.
- NEVER USE A LADDER THAT HAS BEEN DAMAGED OR HAS MISSING PARTS.
- Ensure the ladder is free from dirt, water and grease prior to use paying particular attention to the treads/ rungs.
- When using a ladder near a door way, block/lock the door and/or post a guard.
- Do not leave ladders unattended while they are erected in case of children climbing.
- Always wear fully enclosed footwear with slip resistant soles.
- Avoid using ladders in very wet or windy conditions.
- Never use a ladder if you are impaired by drugs, alcohol or sickness.

THE PUNCHLOCK® ADVANTAGE

SUPER STRONG PUNCHLOCK®
TREAD TO STILE JOINT

SUPER STRONG PUNCHLOCK®
RUNG TO STILE JOINT

66% STRONGER THAN CONVENTIONAL RIVETED TYPE LADDERS.

Bailey's Professional range of ladders are manufactured using our Punchlock® construction technology. Combined with our unique double hollow tread design, this gives the distinct advantages of strength, stiffness and durability unmatched by riveted ladders.

PUNCHLOCK® | SUPER STRONG

66%

Stronger than conventional riveted type ladders.

Increased strength and durability

DOUBLE HOLLOW TREAD
TWIST RESISTANT

Increased rigidity and stiffness in the ladder frame.

Reduces ladder twisting

TRI-BRACING | SUPER STABLE

Strongest support between tread and stile.

Eliminates catch points

LIGHTWEIGHT DESIGN
SUPER LIGHT

Industrial strength and safety with a lightweight advantage.

Reduces strain and fatigue.

INDUSTRIAL 150KG

INDUSTRIAL 170KG

All these distinct advantages are engineered into our Professional range of Aluminium and Fibreglass ladders.

DISCOVER THE ADVANTAGE YOURSELF – INVEST IN OUR SUPERIOR PROFESSIONAL RANGE OF LADDERS THAT WILL GIVE YOU YEARS OF SERVICE.

INDUSTRIAL **150KG***

BAILEY'S LIGHTEST LADDER RANGE

NO COMPROMISE TO REACH HEIGHT & STILE THICKNESS

ALUMINIUM
LIGHTWEIGHT & STRONG

BAILEY
TRADE LYTE
INDUSTRIAL
150kg
STEP LADDER

FULL SIZE LADDER

TRADE LYTE™

5 YEARS MANUFACTURER WARRANTY*

Our Trade Lyte Double Sided & Dual Purpose Ladders are covered by Bailey Ladders' robust 5 Year Manufacturer Warranty. Built to withstand the demands of professional use, these ladders are engineered with superior materials and workmanship, ensuring dependable performance for years to come.

DOUBLE SIDED
STEPLADDER


BAILEY
TRADE LYTE

3 STEP

4 STEP

6 STEP

8 STEP

DUAL PURPOSE
STEPLADDER


BAILEY
TRADE LYTE

6 STEP

7 STEP

8 STEP

Designed for use on industrial work sites where strength, durability and safety is required.

AUSTRALIA'S #1 LADDER BRAND

*Warranty Terms and Conditions apply.

SINGLE SIDED LEANING & DOUBLE SIDED STEPLADDERS

Bailey's Single Sided Leaning Ladder gets you close to the work surface, while the Double Sided Ladder provides access from both sides. Both feature non-slip treads and robust construction, ensuring stability and versatility.

BAILEY
BAILEY
150KG

PROFESSIONAL PUNCHLOCK®
SINGLE SIDED STEP LEANING LADDER

ALUMINIUM LIGHTWEIGHT | **INDUSTRIAL** | **150KG**

- Limited Lifetime WARRANTY*
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- Unique top cap allows the ladder to be safely used as a leaning ladder
- The multi-function top cap provides storage for tools
- Anti-slip PVC boots for added stability
- Light weight and strong aluminium construction
- Flat plate tri-bracing increases strength and stability
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

LIMITED LIFETIME WARRANTY*

SUPER STRONG PUNCHLOCK
TREAD TO STILE JOINT

LEANSAFE

Multi-function top cap

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13957	Pro AL Single Sided Leaning 6 150kg Ind	1.79m	3.19m	9312097064805	8.2kg
FS13959	Pro AL Single Sided Leaning 8 150kg Ind	2.39m	3.79m	9312097064829	10.9kg

Spare Parts

SP15-020AZ Feet Kit

PROFESSIONAL PUNCHLOCK®
SINGLE SIDED STEP LEANING LADDER

FIBREGLASS ELECTRO-SAFE™ | **INDUSTRIAL** | **150KG**

- Limited Lifetime WARRANTY*
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- Electro-safe™ fibreglass design makes it suitable to use where an electrical hazard exists
- Unique top cap allows the ladder to be safely used as a leaning ladder
- Anti-slip PVC boots for added stability
- Flat plate tri-bracing increases strength and stability
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

LIMITED LIFETIME WARRANTY*

SUPER STRONG PUNCHLOCK
TREAD TO STILE JOINT

LEANSAFE

Multi-function top cap

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13972	Pro FG Single Sided Leaning 6 150kg Ind	1.79m	3.19m	9312097064959	10.5kg
FS13973	Pro FG Single Sided Leaning 7 150kg Ind	2.09m	3.49m	9312097064966	12.0kg
FS13974	Pro FG Single Sided Leaning 8 150kg Ind	2.39m	3.79m	9312097064973	13.8kg
FS13975	Pro FG Single Sided Leaning 10 150kg Ind	2.99m	4.39m	9312097064980	17.1kg
FS13976	Pro FG Single Sided Leaning 12 150kg Ind	3.59m	4.99m	9312097064997	20.9kg

Spare Parts

SP15-022AZ Feet Kit

TRADE LYTE™

TRADE LYTE™
DOUBLE SIDED STEPLADDER

ALUMINIUM LIGHTWEIGHT | **INDUSTRIAL** | **150KG**

5 YEARS MANUFACTURER WARRANTY*

ALUMINIUM LIGHTWEIGHT & STRONG

- 5 Years Manufacturer WARRANTY*
- Double Riveted Construction for increased strength
- Light weight extruded aluminium construction – Bailey's lightest ladder range
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS14019	Trade Lyte™ AL Double Sided 3 150kg Ind	0.9m	2.29m	9312097066939	4.4kg
FS14020	Trade Lyte™ AL Double Sided 4 150kg Ind	1.2m	2.57m	9312097066946	5.5kg
FS14021	Trade Lyte™ AL Double Sided 6 150kg Ind	1.8m	3.14m	9312097066953	8.0kg
FS14143	Trade Lyte™ AL Double Sided 8 150kg Ind	2.4m	3.71m	9312097067653	11.1kg

Spare Parts

SP15-038AZ Feet Kit

PROFESSIONAL PUNCHLOCK®
DOUBLE SIDED STEPLADDER

ALUMINIUM LIGHTWEIGHT | **INDUSTRIAL** | **150KG**

LIMITED LIFETIME WARRANTY*

SUPER STRONG PUNCHLOCK TREAD TO STILE JOINT

- Limited Lifetime WARRANTY*
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- The multi-function top cap provides storage for paint cans and tools improving work site safety and productivity
- Anti-slip PVC boots for added stability
- Double sided design for greater versatility and load bearing strength
- Light weight and strong aluminium construction
- Flat plate tri-bracing increases strength and stability
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892



Multi-function top cap

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13960	Pro AL Double Sided 3 150kg Ind	0.89m	2.29m	9312097064836	5.6kg
FS13961	Pro AL Double Sided 4 150kg Ind	1.19m	2.59m	9312097064843	6.9kg
FS13963	Pro AL Double Sided 6 150kg Ind	1.79m	3.19m	9312097064867	9.8kg
FS13965	Pro AL Double Sided 8 150kg Ind	2.39m	3.79m	9312097064881	13.7kg

Spare Parts

SP15-021AZ Feet Kit



PROFESSIONAL PUNCHLOCK®
DOUBLE SIDED STEPLADDER

FIBREGLASS ELECTRO-SAFE™ **INDUSTRIAL** **150KG**

LIMITED LIFETIME WARRANTY*

SUPER STRONG PUNCHLOCK • TREAD TO STILE JOINT •

- Limited Lifetime WARRANTY*
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- Electro-safe™ fibreglass design makes it suitable to use where an electrical hazard exists
- The multi-function top cap provides storage for tools, improving work site safety and productivity
- Anti-slip PVC boots for added stability
- Double Sided design for greater versatility and load bearing strength
- Flat plate tri-bracing increases strength and stability
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

Multi-function top cap

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13977	Pro FG Double Sided 3 150kg Ind	0.89m	2.29m	9312097065000	7.4kg
FS13978	Pro FG Double Sided 4 150kg Ind	1.19m	2.59m	9312097065017	9.1kg
FS13980	Pro FG Double Sided 6 150kg Ind	1.79m	3.19m	9312097065031	12.8kg
FS13981	Pro FG Double Sided 7 150kg Ind	2.09m	3.49m	9312097065048	15.6kg
FS13982	Pro FG Double Sided 8 150kg Ind	2.39m	3.79m	9312097065055	17.6kg
FS13983	Pro FG Double Sided 10 150kg Ind	2.99m	4.39m	9312097065062	22.2kg
FS13984	Pro FG Double Sided 12 150kg Ind	3.59m	4.99m	9312097065079	27.1kg

Spare Parts

SP15-023AZ Feet Kit

MULTI-PURPOSE LADDERS

Bailey Multi-Purpose Ladders offer versatility for tradespeople and DIYers, converting into multiple configurations with a telescopic design, patented barrel hinge, and single handed mechanisms, ensuring safety and adaptability for any task.



BXS 20
MULTI-PURPOSE LADDERS

ALUMINIUM LIGHTWEIGHT | **INDUSTRIAL** | **135KG**

- 5 Years Manufacturer WARRANTY*
- Strong aluminium construction
- The most versatile ladder you can own
- Telescopic design quickly adjusts to a comfortable working height
- Adjust height quickly with spring loaded 'J' locks
- Adjust angle positions easily with push knobs
- Wide flared bottom for firm support and stability
- Anti-slip feet for added safety and stability
- 135kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13644	BXS20 MKII Multi-Purpose 135kg Ind	2.3/4.5m	3.1/5.5m	9312097060005	16.7kg
Spare Parts					
SP15-011AZ	Feet Kit				



Stairway Ladder

Stepladder

Straight Ladder

Trestle Ladder

NEED SPARES FOR YOUR BAILEY LADDER? **VISIT LADDERSPARES.COM.AU**

LEANSAFE® X3

3 IN 1 MULTI-PURPOSE LADDER

5 YEARS MANUFACTURER WARRANTY*

LEANSAFE®

A REVOLUTION IN LADDERS

Don't be unsafe on an incorrectly positioned ladder again!

The new Bailey *LEAN*SAFE X3 ladder easily and quickly changes from a step, to leaning and even to a straight ladder, enabling you to always have the right configuration for the positioning you need. Don't waste time getting a different ladder, or be unsafe overreaching again.

INDUSTRIAL 150KG

ALUMINIUM & FIBREGLASS

LIGHTWEIGHT & STRONG

FIND OUT MORE

LEANSAFE® X3



STEPLADDER



LEANING LADDER



STRAIGHT LADDER

ALUMINIUM & FIBREGLASS
LIGHTWEIGHT & STRONG

LEANSAFE X3

3 IN 1 MULTI-PURPOSE LADDER

ALUMINIUM LIGHTWEIGHT | **INDUSTRIAL** | **150KG**

- 5 Years Manufacturer WARRANTY*
- The patented barrel hinge allows you to seamlessly go from step to straight ladder in one adjustment
- Single handed locking mechanism removes the need for manual side latches
- Innovative top cap design allows for leaning use in multiple applications such as corners, stud work and straight walls
- Angled, anti-slip wall pads on the back legs provide additional stability when used in the straight ladder configuration.
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*

LEANSAFE®

Patented Barrel Hinge

Innovative Top Cap

Straight Ladder Wall Pads



Stepladder



Leaning Ladder



Straight Ladder

Product No.	Description	Max. Reach Step	Max. Reach Leaning	Max. Reach Straight	EAN Code	Nominal Weight
FS14129	AL Leansafe X3 3 in 1 Ladder 6 150Kg Ind	3.14m	3.14m	3.99m	9312097066854	9.1kg
FS14130	AL Leansafe X3 3 in 1 Ladder 7 150Kg Ind	3.42m	3.42m	4.56m	9312097066861	10.4kg
FS14131	AL Leansafe X3 3 in 1 Ladder 8 150Kg Ind	3.71m	3.71m	5.13m	9312097066878	11.9kg

Spare Parts

SP15-041AZ	Feet Kit
SP45-070AZ	Retaining Clip Kit

FIBREGLASS ELECTRO-SAFE™ | **INDUSTRIAL** | **150KG**

Product No.	Description	Max. Reach Step	Max. Reach Leaning	Max. Reach Straight	EAN Code	Nominal Weight
FS14147	FG Leansafe X3 3 in 1 Ladder 6 150Kg Ind	3.14m	3.14m	3.99m	9312097067714	10.7kg
FS14148	FG Leansafe X3 3 in 1 Ladder 7 150Kg Ind	3.42m	3.42m	4.56m	9312097067721	12.3kg
FS14149	FG Leansafe X3 3 in 1 Ladder 8 150Kg Ind	3.71m	3.71m	5.13m	9312097067738	14.1kg

Spare Parts

SP15-042AZ	Feet Kit
SP45-071AZ	Retaining Clip Kit

DUAL PURPOSE LADDERS

Bailey Dual Purpose Ladders are perfect for pros and DIYers, converting easily from a Stepladder to a Single Ladder. With a 150kg load rating, anti-slip feet, and durable aluminium or fibreglass construction, they ensure safety and efficiency.

BAILEY
TRADE LYTE



PROFESSIONAL PUNCHLOCK®
DUAL PURPOSE STEPLADDER

ALUMINIUM LIGHTWEIGHT | **INDUSTRIAL** | **150KG**

- Limited Lifetime WARRANTY*
- Punchlock® rung to stile joint increases torsional rigidity of the overall ladder frame
- Single handed latch operation easily converts from a stepladder to a straight ladder
- Multi-function top cap with storage for tools and parts
- PVC boots and wall pads provide additional stability
- Factory fitted "V" rung for use on poles and trees
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

★★★★★
LIMITED LIFETIME
WARRANTY*
★★★★★

SUPER STRONG PUNCHLOCK
TREAD TO STILE JOINT

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13988	Pro AL Dual Purpose 6 150kg Ind	1.79/3.30m	3.19/4.30m	9312097065116	8.4kg
FS13989	Pro AL Dual Purpose 7 150kg Ind	2.09/3.90m	3.49/4.90m	9312097065123	9.7kg
FS13990	Pro AL Dual Purpose 8 150kg Ind	2.39/4.50m	3.79/5.50m	9312097065130	11.0kg

Spare Parts	
SP15-026AZ	Feet Kit

Single handed latch operation

NEED SPARES FOR YOUR BAILEY LADDER? **VISIT LADDERSPARES.COM.AU**

TRADE LYTE™

TRADE LYTE™

DUAL PURPOSE STEPLADDER

ALUMINIUM LIGHTWEIGHT | **INDUSTRIAL** | **150KG**

- 5 Years Manufacturer WARRANTY*
- Double Riveted Construction for increased strength
- Light weight extruded aluminium construction – Bailey's lightest ladder range
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*

ALUMINIUM LIGHTWEIGHT & STRONG

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS14022	Trade Lyte™ AL Dual Purpose 6 150kg Ind	1.8/3.2m	3.14/4.28m	9312097066960	7.5kg
FS14023	Trade Lyte™ AL Dual Purpose 7 150kg Ind	2.1/3.8m	3.43/4.85m	9312097066977	8.7kg
FS14024	Trade Lyte™ AL Dual Purpose 8 150kg Ind	2.4/4.4m	3.71/5.42m	9312097066984	10.1kg

Spare Parts

SP15-038AZ Feet Kit

PROFESSIONAL RIVETED

DUAL PURPOSE STEPLADDER WITH TREE & POLE SUPPORT

FIBREGLASS ELECTRO-SAFE™ | **INDUSTRIAL** | **150KG**

- 5 Years Manufacturer WARRANTY*
- Tree/pole support added to rear section dramatically improves stability when used against trees and poles
- 3 sizes available: 6,7,8 step - a size for every height
- Large anti-slip "Boots" increase stability when working at heights
- Trapezoidal tread design and deep fascia top cap increase the torsional rigidity of the overall ladder frame
- Electro-safe™ fibreglass design makes it suitable to use where an electrical hazard exists
- Easily converts from a Stepladder to a Straight Ladder
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*

TREE & POLE SUPPORT • NEW • ADDED SAFETY & STABILITY

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13668	FG Dual Purpose with Tree/Pole Support 6 150Kg Ind	1.8/3.2m	3.2/4.2m	9312097060715	11.3kg
FS13669	FG Dual Purpose with Tree/Pole Support 7 150Kg Ind	2.1/3.8m	3.5/4.8m	9312097060722	15.1kg
FS13670	FG Dual Purpose with Tree/Pole Support 8 150Kg Ind	2.4/4.4m	3.8/5.4m	9312097060739	16.8kg

Spare Parts

SP15-009AZ Feet Kit

PROFESSIONAL PUNCHLOCK®

STEP EXTENSION LADDER

★★★★★
LIMITED LIFETIME WARRANTY*
★★★★★

HEIGHT-ACCESS MADE EASY

SUPER STRONG PUNCHLOCK • TREAD TO STILE JOINT •

The ultimate solution for versatility and efficiency on the job site!

Innovative integrated slides, allow the quickest, most convenient and most compact ladder position conversion so you can tackle tight-access areas with ease. Whether you need a Step Ladder, Leaning Ladder, Extension Ladder or a combination of all three, you can save time on the job site without compromising on safety.

Safely lean against walls, poles and trees with the factory fitted "V" rung while keeping your tools within reach thanks to the multi-function top cap.

The PUNCHLOCK rungs and anti-slip PVC boots offer unparalleled stability while the narrow back leg design allows easy access to small openings like manhole covers and through studs. Available in Fibreglass Electro-Safe.

BAILEY
LEANSAFE

LEANSAFE®

FIND OUT MORE

INDUSTRIAL 150KG

Powder-coated Fly Section Slides for smoother operation.

Innovative top cap design allows for leaning against walls, with tool storage. Includes factory fitted "V" rung for poles and trees.

Narrow back leg for small opening access.



Flexible PVC boots for improved durability.

NEED SPARES FOR YOUR BAILEY LADDER? **VISIT LADDERSPARES.COM.AU**



PROFESSIONAL PUNCHLOCK®
STEP EXTENSION LADDER

FIBREGLASS ELECTRO-SAFE™ | **INDUSTRIAL** | **150KG**

- Limited Lifetime WARRANTY*
- Innovative integrated slides, allow the quickest, most convenient and most compact ladder position conversion.
- Electro-safe™ fibreglass design makes it suitable to use where an electrical hazard exists
- Punchlock® rung to stile joint increases torsional rigidity of the overall ladder frame
- Innovative top cap design allows the ladder to be used as a Leaning Ladder as well as providing storage for tools and equipment
- The back legs can be adjusted to allow the ladder to move up in 300mm increments when in the extension ladder.
- The back section is designed to fit into small openings like man-hole covers
- Anti-slip PVC boots for added stability
- Factory fitted "V" rung for use on poles and trees
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

LIMITED LIFETIME WARRANTY*

SUPER STRONG PUNCHLOCK • TREAD TO STILE JOINT •

LEANSAFE®

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13985	Pro FG Step Extension 6 150kg Ind	1.79/3.13m	3.19/4.13m	9312097065086	14.0kg
FS13986	Pro FG Step Extension 7 150kg Ind	2.09/3.73m	3.49/4.73m	9312097065093	15.8kg
FS13987	Pro FG Step Extension 8 150kg Ind	2.39/4.03m	3.79/5.03m	9312097065109	17.5kg

Spare Parts	
SP15-019AZ	Feet Kit

EXTENSION LADDERS

Bailey's Extension Ladders cater to various needs: Single Ladders for fixed heights, Triple Extension Ladders for compact three-section reach, Leveller Extension Ladders for uneven surfaces, and Standard Extension Ladders for versatile height access. Durable and reliable for all tasks.

BAILEY
BAILEY
INDUSTRIAL DUTY RATING
150KG

NEED SPARES FOR YOUR BAILEY LADDER? **VISIT LADDERSPARES.COM.AU**

STEPTHRU™
EXTENSION LADDER SAFETY DEVICE

ALUMINIUM LIGHTWEIGHT

LIGHT WEIGHT 5.2kg



The Bailey STEPTHRU™ Extension Ladder Safety Device allows you to step through onto the roof safely from an extension ladder.

1 YEAR MANUFACTURER WARRANTY*

- 1 Year Manufacturer WARRANTY*
- **SAFE DESIGN** - The STEPTHRU™ hand rail extends 1m past the roof edge providing safe access to and from the ladder
- **DUAL CLAMPING SYSTEM** - Enhanced strength with dual clamping system
- **QUICK AND EASY INSTALLATION** - Each hand rail can be fitted in under 30 seconds - no tools required
- **HIGH-VISIBILITY HANDRAILS** - Designed so the point of access and egress to the structure is easily visible from a distance
- **UNIVERSAL FIT** - The STEPTHRU™ will fit all Bailey Single and Extension Ladders (removal of pole supports may be required prior to fitting)
- Light weight at around 5.2kg in total
- Australian Standards and OH&S compliant

FIND OUT MORE

Product No.	Description	EAN Code	Nominal Package Weight
FS14000	Extension Ladder Safety Device	9312097066199	7.0kg

TRIPLE EXT 6/14
EXTENSION LADDER

ALUMINIUM LIGHTWEIGHT **INDUSTRIAL** **150KG**

5 YEARS MANUFACTURER WARRANTY*

- 5 Years Manufacturer WARRANTY*
- The triple section compact design provides safe access to heights up to 5.39m but is under 2m when closed.
- The compact design makes it easier to store, transport and manoeuvre indoors.
- Durable Punchlock® D rung construction providing superior climbing comfort.
- Convenient carry handles attached for easy, single-handed carrying
- Fits in most cars when in the closed position
- Slip resistant PVC boots also increase protection of the stile ends
- More overlapping rung positions for improved foot comfort
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13908	Bailey Triple Ext 6/14 150kg Ind	1.95/4.39m	5.39m	9312097063983	13.5kg

Spare Parts

SP15-015AZ	Feet Kit
SP45-063AZ	End Caps

FACTORY FITTED LEVELLER
ADJUSTS UP TO 200mm

PROFESSIONAL PUNCHLOCK® WITH LEVELLER

EXTENSION LADDER

ALUMINIUM LIGHTWEIGHT **INDUSTRIAL** **150KG**

- 5 Years Manufacturer WARRANTY*
- Factory fitted ladder levelling system allows for safe use on uneven surfaces
- Durable Punchlock® D rung construction providing superior climbing comfort
- Interlocking stiles provide increased resistance to side sway and bounce providing a more secure climbing experience
- Rung wear pads provide protection and easier raising and lowering of the ladder
- 8mm kernmantle rope with a side rope and pulley system that keeps the rope away from the user's feet for increased safety
- PVC boots provide superior slip resistance
- Large rung braces for increased strength
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*

SUPER STRONG PUNCHLOCK®
RUNG TO STILE JOINT

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13905	Pro AL Ext Leveller 10 150kg Ind	3.18/5.01m	6.01m	9312097063952	15.4kg
FS13906	Pro AL Ext Leveller 12 150kg Ind	3.79/6.23m	7.23m	9312097063969	19.7kg

Spare Parts

SP15-016AZ	Feet Kit
SP45-063AZ	End Caps
SP25-004AZ	Rope Kit

PROFESSIONAL PUNCHLOCK®

EXTENSION LADDER

ALUMINIUM LIGHTWEIGHT **INDUSTRIAL** **150KG**

- 5 Years Manufacturer WARRANTY*
- Durable Punchlock® D rung construction providing superior climbing comfort
- Interlocking stiles provide increased resistance to side sway and bounce providing a more secure climbing experience
- Rung wear pads provide protection and easier raising and lowering of the ladder
- 8mm kernmantle rope with a side rope and pulley system that keeps the rope away from the user's feet for increased safety
- PVC boots provide superior slip resistance
- Large rung braces for increased strength
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*

SUPER STRONG PUNCHLOCK®
RUNG TO STILE JOINT

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13897	Pro AL Ext 8 150kg Ind	2.57/4.09m	5.09m	9312097063877	11.5kg
FS13898	Pro AL Ext 10 150kg Ind	3.18/5.31m	6.31m	9312097063884	14.3kg
FS13899	Pro AL Ext 12 150kg Ind	3.79/6.53m	7.53m	9312097063891	18.7kg
FS13900	Pro AL Ext 14 150kg Ind	4.40/7.75m	8.75m	9312097063907	21.5kg
*FS13901	Pro AL Ext 16 150kg Ind	5.04/9.00m	10.00m	9312097063914	34.5kg
*FS13902	Pro AL Ext 18 150kg Ind	5.65/10.22m	11.22m	9312097063921	38.5kg
*FS13903	Pro AL Ext 20 150kg Ind	6.26/11.14m	12.14m	9312097063938	42.4kg

Spare Parts

SP15-015AZ	Feet Kit (for sizes: 8, 10, 12, 14)
SP15-017AZ	Feet Kit (for sizes: 16, 18, 20)
SP45-063AZ	End Caps (for sizes: 8, 10, 12, 14)
SP45-064AZ	End Caps (for sizes: 16, 18, 20)
SP25-004AZ	Rope Kit

***Note:** FS13897 does not feature rope and pulley

***Note:**

Items are MTO only. Contact customer service for further information.

PROFESSIONAL PUNCHLOCK® FSXN WITH VEE RUNG

EXTENSION LADDER

FIBREGLASS ELECTRO-SAFE™ **INDUSTRIAL** **140/150KG**

- 5 Years Manufacturer WARRANTY*
- The Punchlock® construction provides a durable rung to stile connection
- Electro-safe™ fibreglass design makes it suitable to use where an electrical hazard exists
- Interlocking stiles provide increased resistance to side sway providing a more secure climbing experience
- Anti-slip PVC boots for added stability
- Rung wear pads provide protection and easier raising and lowering of the ladder
- Factory fitted V rung allows the ladder to be safely positioned against poles and trees
- 150kg load rating on sizes 8 to 14 and 140kg on size 16
- Industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*

SUPER STRONG PUNCHLOCK®
RUNG TO STILE JOINT

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13917	Pro FG FSXN Ext Vee 8 150kg Ind	2.63/4.16m	5.16m	9312097064058	19.3kg
FS13918	Pro FG FSXN Ext Vee 10 150kg Ind	3.24/5.38m	6.38m	9312097064065	23.2kg
FS13919	Pro FG FSXN Ext Vee 12 150kg Ind	3.85/6.60m	7.60m	9312097064072	27.1kg
FS13920	Pro FG FSXN Ext Vee 14 150kg Ind	4.46/7.82m	8.82m	9312097064089	31.2kg
FS13921	Pro FG FSXN Ext Vee 16 140kg Ind	5.07/9.04m	10.04m	9312097064096	35.1kg

Spare Parts	
SP15-017AZ	Feet Kit
SP45-064AZ	End Caps
SP25-004AZ	Rope Kit

PROFESSIONAL PUNCHLOCK® FXN WITH POLE STRAP

EXTENSION LADDER

FIBREGLASS ELECTRO-SAFE™ **INDUSTRIAL** **160/170KG**

- 5 Years Manufacturer WARRANTY*
- The Punchlock® top hat construction increases resistance to bounce and side sway
- Electro-safe™ fibreglass design makes it suitable to use where an electrical hazard exists
- Anti-slip PVC boots for added stability
- Factory fitted PVC coated pole strap allows the ladder to be positioned against poles and trees
- 170kg load rate on sizes 8 to 16 and 160kg on size 18
- Industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*

SUPER STRONG PUNCHLOCK®
RUNG TO STILE JOINT

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13909	Pro FG FXN Ext 8 170kg Ind	2.60/4.13m	5.13m	9312097063990	21.1kg
FS13910	Pro FG FXN Ext 10 170kg Ind	3.21/5.35m	6.35m	9312097064003	25.6kg
FS13911	Pro FG FXN Ext 12 170kg Ind	3.82/6.57m	7.57m	9312097064010	30.0kg
FS13912	Pro FG FXN Ext 14 170kg Ind	4.43/7.79m	8.79m	9312097064027	34.4kg
FS13913	Pro FG FXN Ext 16 170kg Ind	5.04/9.01m	10.01m	9312097064034	38.9kg
FS13914	Pro FG FXN Ext 18 160kg Ind	5.65/9.92m	10.92m	9312097064041	43.3kg

Spare Parts	
SP15-017AZ	Feet Kit
SP45-064AZ	End Caps
SP25-005AZ	Rope Kit

PROFESSIONAL PUNCHLOCK®
SINGLE LADDER

ALUMINIUM LIGHTWEIGHT **INDUSTRIAL** **150KG**

- 5 Years Manufacturer WARRANTY*
- Durable Punchlock® D rung construction providing superior climbing comfort
- PVC boots at the top and bottom of the ladder provide superior slip resistance
- Large rung braces for increased strength
- Extra heavy duty aluminium construction
- 150kg load rating and industrial duty rating make it suitable for commercial applications
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*

SUPER STRONG PUNCHLOCK®
RUNG TO STILE JOINT

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13890	Pro AL Single 7 150kg Ind	2.40m	3.40m	9312097063808	5.0kg
FS13891	Pro AL Single 9 150kg Ind	3.01m	4.01m	9312097063815	6.2kg
FS13892	Pro AL Single 11 150kg Ind	3.62m	4.62m	9312097063822	7.3kg
FS13893	Pro AL Single 13 150kg Ind	4.23m	5.23m	9312097063839	8.5kg
Spare Parts					
SP15-015AZ	Feet Kit				
SP45-063AZ	End Caps				

STEPTHRU™
EXTENSION LADDER SAFETY DEVICE

ALUMINIUM LIGHTWEIGHT

LIGHT
WEIGHT
5.2kg

FIND OUT MORE



The Bailey **STEPTHRU™ Extension Ladder Safety Device** allows you to step through onto the roof safely from an extension ladder.

BAILEY® FALL PROTECTION

BRING SAFETY TO YOUR WORK ZONE

BAILEY FALL PROTECTION RANGE is your trusted partner in workplace safety.

FIND OUT MORE

PLATFORM STEPLADDERS

Bailey's Platform Stepladders offer superior strength and durability for tradespeople and industrial use. With large platforms for safety and all-day comfort, adjustable heights, back legs for uneven surfaces, and optional safety gates, they ensure a safe and efficient work environment.

ADJUSTABLE HEIGHT PLATFORM
STEPLADDER

ALUMINIUM LIGHTWEIGHT | **INDUSTRIAL** | **170KG**



- 5 Years Manufacturer WARRANTY*
- The Adjustable Height Platform Stepladder can be converted from a 3-step Platform Ladder to a 4, 5 or 6 Step Ladder providing a max. reach height of 3.71m
- The single-handed locking mechanism allows the user to adjust the height of the ladder quickly and easily, improving productivity on site
- The back legs can be adjusted at 50mm increments to allow the ladder to be safely leveled on stairways or sloping surfaces
- The outriggers provide a very stable work platform that inspires confidence and job site safety
- At 19kg it is the lightest 4 Height Adjustable Platform Stepladder in the Australian Market
- Large platform standing area (420mm x 500mm) for all day standing comfort
- Multi-function handrail for tool and equipment storage
- Anti-slip PVC boots for added stability
- Safety gate is available as an accessory
- A massive 170kg load rating and industrial duty rating make the ladder suitable for use on commercial work sites
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*

FIND OUT MORE

SAFETY GATE FS13952
NOW AVAILABLE

Spare Parts

SP15-032AZ	Boot Kit Al Adjust Height PFS.

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13999	AL Adjustable Height Platform 3-6 170kg Ind	0.85m – 1.71m	2.85m – 3.71m	9312097065857	19.0kg
Accessories					
FS13952	Safety Gate Kit (ADJ HT PF, Pro AL, Pro FG, P150 AL, P150 FG)			9312097064348	2.7kg



PROFESSIONAL PUNCHLOCK®
PLATFORM STEPLADDER

ALUMINIUM LIGHTWEIGHT **INDUSTRIAL** **170KG**

- Limited Lifetime WARRANTY*
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- Large 400 x 500mm platform for added safety and all day standing comfort
- 900mm handrail height from platform
- Anti-slip PVC boots for added stability
- Multi-function handrail for tool storage
- Safety gate and castors available as accessories
- 170kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

LIMITED LIFETIME WARRANTY*



Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13931	Pro AL Platform 2 170kg Ind	0.57m	2.57m	9312097064133	8.8kg
FS13932	Pro AL Platform 3 170kg Ind	0.85m	2.86m	9312097064140	10.0kg
FS13933	Pro AL Platform 4 170kg Ind	1.13m	3.14m	9312097064157	11.1kg
FS13934	Pro AL Platform 5 170kg Ind	1.42m	3.43m	9312097064164	12.3kg
FS13935	Pro AL Platform 6 170kg Ind	1.70m	3.71m	9312097064171	14.0kg
FS13936	Pro AL Platform 7 170kg Ind	1.99m	4.00m	9312097064188	19.5kg
FS13937	Pro AL Platform 8 170kg Ind	2.27m	4.28m	9312097064195	21.0kg
Accessories					
FS13991	Castor / Wheel Kit (White Spring)	Fits 2-5 step	-	9312097065147	3.3kg
FS13992	Castor / Wheel Kit (Yellow Spring)	Fits 6-7 step	-	9312097065154	3.3kg
FS13993	Castor / Wheel Kit (Green Spring)	Fits 8 step		9312097065161	3.3kg
FS13952	Safety Gate Kit (Pro AL, Pro FG, P150 AL, P150 FG)			9312097064348	2.7kg

Note: Platform height is approximate vertical height to platform from the ground



SAFETY GATE FS13952
NOW AVAILABLE

Spare Parts

SP15-018AZ Boot Kit AL & Ext. IND PFS



P170 JOB STATION
PLATFORM STEPLADDER

ALUMINIUM LIGHTWEIGHT **INDUSTRIAL** **170KG**

- 5 Years Manufacturer WARRANTY*
- Huge platform area (610 x 457mm) adds comfort and stability
- New 'trapezoidal tread design' provides an incredibly strong tread to stile joint
- Fully reinforced polypropylene platform with metal inserts for maximum strength
- Multi-function handrail for tool storage
- Checker plate 'deck pattern' provides an anti-slip standing area
- Large anti-slip feet for maximum stability and durability
- Convenient carry handle allows for easy transport
- Swivel castors for improved mobility
- Fully integrated bracing and castor system - patented industry leading design
- 170kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*

SAFETY GATE DEMO

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13538	AL P170 Job Station 3 170kg Ind	0.87m	2.87m	9312097058620	16.9kg
FS13539	AL P170 Job Station 4 170kg Ind	1.16m	3.16m	9312097058637	18.4kg
FS13540	AL P170 Job Station 5 170kg Ind	1.45m	3.45m	9312097058644	19.9kg
FS13541	AL P170 Job Station 6 170kg Ind	1.74m	3.74m	9312097058651	21.9kg
FS13542	AL P170 Job Station 7 170kg Ind	2.03m	4.03m	9312097058668	27.4kg
FS13543	AL P170 Job Station 8 170kg Ind	2.32m	4.32m	9312097058675	28.4kg
FS13544	AL P170 Job Station 10 170kg Ind	2.91m	4.91m	9312097058682	33.2kg
FS13545	AL P170 Job Station 12 170kg Ind	3.49m	5.49m	9312097058699	37.6kg
Accessories					
FS13954	Safety Gate Kit (P170 AL & P170 FG)			9312097064362	2.4kg

Castors Included

P170 SAFETY GATE FS13954
NOW AVAILABLE

Spare Parts

SP15-005AZ Feet Kit

SP30-001AZ Castor Kit

P150

PLATFORM STEPLADDER

ALUMINIUM LIGHTWEIGHT **INDUSTRIAL** **150KG**

- 5 Years Manufacturer WARRANTY*
- Lightweight and highly portable – Up to 25% lighter than competitive products
- Large standing area (508 x 416mm) adds comfort and stability
- Checker plate 'deck pattern' provides an anti-slip standing area
- Extra strong, heavy duty aluminium construction for superior durability
- Large anti-slip feet for maximum stability and durability
- Swivel castors for improved mobility and improved productivity (available as an accessory)
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*



P150 SAFETY GATE FS13952
NOW AVAILABLE

Spare Parts

SP15-018AZ Feet Kit

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS14066	AL P150 3 150kg Ind	0.9m	2.9m	9312097065895	9.8kg
FS14067	AL P150 4 150kg Ind	1.2m	3.2m	9312097065901	10.9kg
FS14068	AL P150 5 150kg Ind	1.5m	3.5m	9312097065918	12.1kg
FS14069	AL P150 6 150kg Ind	1.8m	3.8m	9312097065925	13.7kg
Accessories					
FS14096	Castor Kit White	Fits 3, 4 and 5 step AL		9312097066236	3.3kg
FS14097	Castor Kit Yellow	Fits 6 step AL		9312097066243	3.3kg
FS13952	Safety Gate Kit (ADJ HT PF, Pro AL, Pro FG, P150 AL, P150 FG)			9312097064348	2.7kg

RETAIL PLATFORM STEP STOOL

PLATFORM STEPLADDER

ALUMINIUM LIGHTWEIGHT **INDUSTRIAL** **120KG**



- 1 Year Manufacturer WARRANTY*
- Large 300mm deep and 250mm wide platform provides a comfortable work position
- Multi-function flip top handrail
- Anti-slip PVC boots for added stability
- Trapezoidal tread profile for strength and durability
- 115mm deep when closed makes it easy to store when not in use
- 120kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

1 YEAR MANUFACTURER WARRANTY*

Multi-function top cap

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13868	Retail Platform Step Stool 2 120Kg Ind	0.57m	2.6m	9312097063068	4.5kg
FS13869	Retail Platform Step Stool 3 120Kg Ind	0.85m	2.9m	9312097063075	5.6kg
FS13870	Retail Platform Step Stool 4 120Kg Ind	1.13m	3.1m	9312097063082	6.9kg

Spare parts

SP15-035AZ SPARE PART - BOOT KIT RETAIL PLATFORM

PROFESSIONAL PUNCHLOCK®
PLATFORM STEPLADDER

FIBREGLASS ELECTRO-SAFE™ **INDUSTRIAL** **170KG**



LIMITED LIFETIME WARRANTY*

- Limited Lifetime WARRANTY*
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- Large 400 x 500mm platform for added safety and all day standing comfort
- 900mm handrail height from platform
- Electro-safe™ fibreglass design makes it suitable to use where an electrical hazard exists
- Anti-slip PVC boots for added stability
- Multi-function handrail for tool storage
- Safety gate and castors available as accessories
- 170kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13945	Pro FG Platform 2 170Kg Ind	0.57m	2.57m	9312097064270	11.4kg
FS13946	Pro FG Platform 3 170Kg Ind	0.86m	2.86m	9312097064287	13.1kg
FS13947	Pro FG Platform 4 170Kg Ind	1.14m	3.14m	9312097064294	14.8kg
FS13948	Pro FG Platform 5 170Kg Ind	1.43m	3.43m	9312097064300	16.5kg
FS13949	Pro FG Platform 6 170Kg Ind	1.71m	3.71m	9312097064317	18.7kg
FS13950	Pro FG Platform 7 170Kg Ind	2.00m	4.00m	9312097064324	24.8kg
FS13951	Pro FG Platform 8 170Kg Ind	2.28m	4.28m	9312097064331	26.8kg
Accessories				**EAN Code**	
FS13991	Castor / Wheel Kit (White Spring)	Fits 2-3 step	-	9312097065147	3.3kg
FS13992	Castor / Wheel Kit (Yellow Spring)	Fits 4-6 step	-	9312097065154	3.3kg
FS13993	Castor / Wheel Kit (Green Spring)	Fits 7-8 step	-	9312097065161	3.3kg
FS13952	Safety Gate Kit (ADJ HT PF, Pro AL, Pro FG, P150 AL, P150 FG)			9312097064348	2.7kg

Note: Platform height is approximate vertical height to platform from the ground

SAFETY GATE FS13952
NOW AVAILABLE

Spare Parts/Accessories	
SP15-019AZ	Boot Kit FG PFS & FSE

P170 JOB STATION
PLATFORM STEPLADDER

FIBREGLASS ELECTRO-SAFE™ **INDUSTRIAL** **170KG**



5 YEARS MANUFACTURER WARRANTY*

- 5 Years Manufacturer WARRANTY*
- Huge platform area (610 x 457mm) adds comfort and stability
- New 'trapezoidal tread design' provides an incredibly strong tread to stile joint
- Multi-function handrail for tool storage
- Fully reinforced polypropylene platform with metal inserts for maximum strength
- Electro-safe™ fibreglass design makes it suitable to use where an electrical hazard exists
- Checker plate 'deck pattern' provides an anti-slip standing area
- Large anti-slip feet for maximum stability and durability
- Convenient carry handle allows for easy transport for improved mobility and productivity
- Fully integrated bracing and castor system - patented industry leading design
- 170kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

FIND OUT MORE

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13530	FG P170 Job Station 3 170kg Ind	0.87m	2.9m	9312097058545	17.9kg
FS13531	FG P170 Job Station 4 170kg Ind	1.16m	3.2m	9312097058552	19.5kg
FS13532	FG P170 Job Station 5 170kg Ind	1.45m	3.5m	9312097058569	21.2kg
FS13533	FG P170 Job Station 6 170kg Ind	1.74m	3.8m	9312097058576	23.4kg
FS13534	FG P170 Job Station 7 170kg Ind	2.03m	4.03m	9312097058583	29.0kg
FS13535	FG P170 Job Station 8 170kg Ind	2.32m	4.32m	9312097058590	30.3kg
FS13536	FG P170 Job Station 10 170kg Ind	2.91m	4.91m	9312097058606	35.3kg
FS13537	FG P170 Job Station 12 170kg Ind	3.49m	5.49m	9312097058613	40.1kg
Accessories					
FS13954	Safety Gate Kit (P170 AL & P170 FG)			9312097064362	2.4kg

Carry Handle

Spare Parts	
SP15-005AZ	Feet Kit
SP30-001AZ	Castor Kit

P150

PLATFORM STEPLADDER

FIBREGLASS ELECTRO-SAFE™ **INDUSTRIAL** **150KG**



- 5 Years Manufacturer WARRANTY*
- Lightweight and highly portable – Up to 25% lighter than competitive products
- Electro-safe™ fibreglass design makes it suitable to use where an electrical hazard exists
- Large standing area (508 x 416mm) adds comfort and stability
- Checker plate 'deck pattern' provides an anti-slip standing area
- Heavy duty fibreglass construction for superior durability
- Large anti-slip feet for maximum stability and durability
- Swivel castors for improved mobility and productivity (available as an accessory)
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

5 YEARS MANUFACTURER WARRANTY*

LIGHTWEIGHT – UP TO 25% LIGHTER THAN OTHERS

Spare Parts

SP15-019AZ	Feet Kit

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS14070	FG P150 3 150kg Ind	0.85m	2.9m	9312097065932	12.5kg
FS14071	FG P150 4 150kg Ind	1.13m	3.2m	9312097065949	12.9kg
FS14072	FG P150 5 150kg Ind	1.42m	3.5m	9312097065956	14.3kg
FS14073	FG P150 6 150kg Ind	1.70m	3.8m	9312097065963	16.2kg
Accessories					
FS14096	Castor Kit White	Fits 3 and 4 step FG		9312097066236	3.3kg
FS14097	Castor Kit Yellow	Fits 5 and 6 step FG		9312097066243	3.3kg
FS13952	Safety Gate Kit (ADJ HT PF, Pro AL, Pro FG, P150 AL, P150 FG)			9312097064348	2.7kg

SAFETY GATE

FOR PLATFORM STEPLADDERS

1 Year Manufacturer WARRANTY*

- Fully surrounds the user
- Improves safety on platform stepladders
- Maintains a safe working zone
- Folds down for easy access
- Folds away with ladder
- Quick and easy to fit
- Simple to use
- Ladder still fits on roof racks
- Safety gates will fit previous models of platform stepladders

1 YEAR MANUFACTURER WARRANTY*

Product No.	Description	EAN Code	Nominal Weight
FS13952	Safety Gate Kit (ADJ HT PF, Pro AL, Pro FG, P150 AL, P150 FG)	9312097064348	2.7kg
FS13953	Safety Gate Kit (Ext Industry & Ladderweld)	9312097064355	2.6kg
FS13954	Safety Gate Kit (P170 AL & P170 FG)	9312097064362	2.4kg

INDUSTRIAL TWIN PLATFORM STEP STOOL

The innovative Industrial Twin Platform from Bailey Ladders enables the user to have two large, safe and stable standing platforms which increase the flexibility and versatility around the worksite and office when carrying out light duty tasks.



BAILEY
BAILEY
BAILEY

TRADE LYTE™

ALUMINIUM LIGHTWEIGHT | INDUSTRIAL | 135KG

1 YEAR MANUFACTURER WARRANTY*

- 1 Year Manufacturer WARRANTY*
- Twin platforms (298mm wide x 270mm deep) for multi-height use
- Functional top for improved productivity and versatility
- Large boots for greater stability
- Box section construction for strength
- Compact and light
- Available in both aluminium and electro-safe™ fibreglass
- 135kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

FIND OUT MORE

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS14040	AL Ind Twin Platform Step Stool 3 135kg Ind	0.57 - 0.85m	2.85m	9312097066328	5.4kg
FS14041	AL Ind Twin Platform Step Stool 4 135kg Ind	0.85 - 1.14m	3.14m	9312097066335	6.5kg
Spare parts					
SP15-033AZ	SPARE PART - BOOT KIT AL INDUSTRIAL TWIN				

FIBREGLASS ELECTRO-SAFE™ | INDUSTRIAL | 135KG

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS14042	FG Ind Twin Platform Step Stool 3 135kg Ind	0.57 - 0.85m	2.85m	9312097066342	6.7kg
FS14043	FG Ind Twin Platform Step Stool 4 135kg Ind	0.85 - 1.14m	3.14m	9312097066359	8.3kg
Spare parts					
SP15-034AZ	SPARE PART - BOOT KIT FG INDUSTRIAL TWIN				

NEED SPARES FOR YOUR BAILEY LADDER? **VISIT LADDERSPARES.COM.AU**

SAFETY STEPS

ALUMINIUM LIGHTWEIGHT **INDUSTRIAL** **150KG**

Bailey's Safety Step provides stair like access and is ultra compact when folded and not in use

1 YEAR MANUFACTURER WARRANTY*



- 1 Year Manufacturer WARRANTY*
- Light weight aluminium construction
- Slim profile for easy storage when not in use
- Wide and deep treads with anti-slip rubber inserts for safety and stability
- Racked front frame for stair-like access
- Folding handrail comes as standard
- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- Made to Australian Standards AS1892

Product No.	Description	Size	Maximum Reach Height	EAN Code	Weight
*FS13750	AL Stairway Ladder with Safety Rail 2 150kg Ind	0.45m	2.45m	9312097061842	6.6kg
*FS13751	AL Stairway Ladder with Safety Rail 3 150kg Ind	0.67m	2.67m	9312097061859	8.6kg
*FS13752	AL Stairway Ladder with Safety Rail 4 150kg Ind	0.89m	2.89m	9312097061866	10.6kg
*FS13753	AL Stairway Ladder with Safety Rail 5 150kg Ind	1.11m	3.11m	9312097061873	12.7kg

***Note:**

Items are MTO only. Contact customer service for further information.

ATTIC LADDER

ALUMINIUM LIGHTWEIGHT **DOMESTIC** **170KG**



1 YEAR MANUFACTURER WARRANTY*

- 1 Year Manufacturer WARRANTY*
- Designed for domestic applications
- Strong and stable aluminium construction
- Gas struts provide easy and quiet opening
- Handrail included for additional comfort when climbing
- Wide opening for easy access
- Simple and easy to install
- Standard ceilings (2.34–3.12m) 170kg Domestic duty rating

Product No.	Description	Nominal Size	Nominal Opening Dimensions	EAN Code	Nominal Weight
FS13560	AL Attic Ladder 170kg Domestic	2.34m — 3.12m	570 x 1370mm approx.	9312097058842	22.0kg

Spare Parts

SP15-010AZ Feet Kit

ORDER PICKERS & ACCESS PLATFORMS

Bailey's Access Platforms and Order Picking Platforms ensure safe, efficient operations in warehousing and transport. With large stable platforms, hi-vis handrails, safety gates, and a walk thru design, they enhance workplace safety and efficiency with durable construction.

BAILEY
Ladderweld

BAILEY
Ladderweld

NEED SPARES FOR YOUR BAILEY LADDER? **VISIT LADDERSPARES.COM.AU**

ORDER PICKING PLATFORMS

TEMPORARY WORK PLATFORM

ALUMINIUM LIGHTWEIGHT **INDUSTRIAL** **150KG**

- Safety gate now a standard inclusion
- Supplied in flat pack with detailed assembly instructions.

5 YEARS MANUFACTURER WARRANTY*

- 5 Years Manufacturer WARRANTY*
- Light, strong aluminium construction with heavy duty stiles and tread
- Safety gate included as standard
- Rear Tilt-N-Go castors
- Large 600 x 500mm platform
- Box section back legs provide greater strength and rigidity
- Ideal for stock picking or industrial applications
- Spring loaded castors for ease of manoeuvrability
- Supplied flat packed with the tools required for assembly
- 150kg load rating and industrial duty rating make it suitable for trade, commercial sites and warehouses
- Made to Australian Standards AS1892

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13873	AL OP Platform 2 MK3 150kg Ind	0.55m	2.55m	9312097063112	20.0kg
FS13874	AL OP Platform 3 MK3 150kg Ind	0.82m	2.82m	9312097063129	22.1kg
FS13875	AL OP Platform 4 MK3 150kg Ind	1.10m	3.10m	9312097063136	24.0kg
FS13876	AL OP Platform 5 MK3 150kg Ind	1.38m	3.38m	9312097063143	25.9kg
FS13877	AL OP Platform 6 MK3 150kg Ind	1.65m	3.65m	9312097063150	28.5kg
FS13878	AL OP Platform 7 MK3 150kg Ind	1.93m	3.93m	9312097063167	30.5kg
FS13879	AL OP Platform 8 MK3 150kg Ind	2.20m	4.20m	9312097063174	32.7kg

LADDERWELD ACCESS PLATFORM

TEMPORARY WORK PLATFORM

ALUMINIUM LIGHTWEIGHT **INDUSTRIAL** **200KG**

5 YEARS MANUFACTURER WARRANTY*

- 5 Years Manufacturer WARRANTY*
- Super strong 'fully welded' design fabricated from heavy duty aluminium
- 100mm deep treads improve safety and comfort when climbing
- 'Walk thru' design for stock picking, warehousing and access to mezzanine floors and vehicles
- Large 125mm wheels – improved portability and 'easy glide' action
- Large stable work platform (safe and stable) – 590 x 800mm
- Manually operated braking system with high-vis, powder coated activation arm helps minimise unauthorised access
- Toe board on three sides (helps secure tools/ accessories)
- Shelf included
- Meets OH&S requirements (safety gate + 900mm handrail, toe board)
- 200kg load rating and industrial duty rating make it suitable for commercial applications
- Made to Australian Standards AS1892

FIND OUT MORE

Product Code	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Fully Open Dimensions (WxD mm)	Nominal Weight
FS13591	Access Platform 3 200kg Ind	0.83m	2.8m	9312097059436	724 x 1168	38.1kg
FS13592	Access Platform 4 200kg Ind	1.10m	3.1m	9312097059443	764 x 1309	40.6kg
FS13593	Access Platform 5 200kg Ind	1.38m	3.4m	9312097059450	804 x 1451	43.0kg
FS13594	Access Platform 6 200kg Ind	1.66m	3.7m	9312097059467	844 x 1592	46.0kg
FS13595	Access Platform 7 200kg Ind	1.93m	3.9m	9312097059474	884 x 1733	48.5kg
FS13596	Access Platform 8 200kg Ind	2.21m	4.2m	9312097059481	924 x 1875	51.0kg
FS13597	Access Platform 10 200kg Ind	2.76m	4.8m	9312097059498	1003 x 2157	62.0kg
FS13598	Access Platform 12 200kg Ind	3.31m	5.3m	9312097059504	1083 x 2440	69.0kg
FS13599	Access Platform 14 200kg Ind	3.87m	5.9m	9312097059511	1164 x 2723	76.4kg

Accessories

FS13817	Rear Tilt Castors

Rear Tilt Castors

ASSEMBLY VIDEO

Spare Parts

Please refer to pages 34–35 of this product guide.

MODULAR ACCESS PLATFORM SYSTEMS

The Bailey Modular Access System revolutionises safe access to heights. Used in conjunction with Bailey Access Platforms, the modular components allow you to design and build an access platform that is customised to your needs.





1m Bridge Configuration



2m Bridge Configuration



Combination variable height 1m & 2m Bridge Configuration

FIND OUT MORE

MODULAR ACCESS PLATFORM SYSTEMS

ALUMINIUM LIGHTWEIGHT **INDUSTRIAL** **200KG**

5 YEARS MANUFACTURER WARRANTY*

- 5 Years Manufacturer WARRANTY*
- Modular system allows for unlimited types of configuration
- Fully welded frames and platforms with integrated toe boards
- Hand rails can be easily removed/repositioned to allow clear access to the work space
- 600mm wide platforms for a safe work zone
- Lockable castors allow easy repositioning of the system
- Industrial duty - safe to use on a work site
- 200kg load rating per bay and industrial duty rating make it suitable for trade and commercial applications
- Made to the Australian Standard AS1892

ASSEMBLY VIDEO

Product No.	Description	Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13789	Modular Access System 1.0m Platform	1.0m	N/A	9312097062238	16.5kg
FS13790	Modular Access System 2.0m Platform	2.0m	N/A	9312097062245	31.0kg
FS13791	Modular Access System 3 Step Upright	0.83m	2.8m	9312097062252	7.9kg
FS13792	Modular Access System 4 Step Upright	1.10m	3.1m	9312097062269	8.5kg
FS13793	Modular Access System 5 Step Upright	1.38m	3.4m	9312097062276	9.2kg
FS13794	Modular Access System 6 Step Upright	1.65m	3.6m	9312097062283	10.0kg
FS13855	Modular Access System Plus Platform	-	-	9312097062900	20.4kg
FS13856	Modular Access System Joiner Platform	-	-	9312097062917	8.6kg
FS13857	Modular Access System Plus Platform - Spreader		-	9312097062924	2.0kg

BAILEY
Ladderweld

LADDERWELD ACCESS PLATFORM

TEMPORARY WORK PLATFORM

SPARE PARTS DIAGRAM



FIND OUT MORE

ASSEMBLY VIDEO

BAILEY
Ladderweld

LADDERWELD ACCESS PLATFORM
TEMPORARY WORK PLATFORM
SPARE PARTS LIST

A



Shelf
SP45-004AZ

B



Rear Panel
SP45-008AZ

C



Top
Diagonal Braces (x2)
SP45-009AZ

D



Horizontal Braces (x2)
(Access Platform 10-14)
SP45-010AZ

E



Bottom
Diagonal Braces (x2)
(Access Platform 10-14)
SP45-011AZ

F



Plan Braces (x2)
SP45-012AZ

G



Wheel System
(RHS & LHS)

Access Plat. 3	SP45-013AZ
Access Plat. 4	SP45-014AZ
Access Plat. 5	SP45-015AZ
Access Plat. 6	SP45-016AZ
Access Plat. 7	SP45-017AZ
Access Plat. 8	SP45-018AZ
Access Plat. 10	SP45-019AZ
Access Plat. 12	SP45-020AZ
Access Plat. 14	SP45-021AZ

H



Castors (x4)
SP45-031AZ

I



Feet
(Front & Rear)
SP45-032AZ

J



Handle and Handlevers

Access Plat. 3	SP45-022AZ
Access Plat. 4	SP45-023AZ
Access Plat. 5	SP45-024AZ
Access Plat. 6	SP45-025AZ
Access Plat. 7	SP45-026AZ
Access Plat. 8	SP45-027AZ
Access Plat. 10	SP45-028AZ
Access Plat. 12	SP45-029AZ
Access Plat. 14	SP45-030AZ

K



Lower Handrails (x2)
(Access Platform 10-14)
SP45-007AZ

L



Bottom Handrails (x2)
SP45-006AZ

M



RH Top Handrail
LH Top Handrail
SP45-005AZ

N



Component Kit
SP45-033AZ

O



Safety Gates
SP45-054AZ

Product Number	Product Description	Product Warranty	Page
SINGLE SIDED LEANING STEPLADDERS			
FS13957	Pro AL Single Sided Leaning 6 150kg Ind	**Limited Lifetime**	9
FS13959	Pro AL Single Sided Leaning 8 150kg Ind	**Limited Lifetime**	9
FS13972	Pro FG Single Sided Leaning 6 150kg Ind	**Limited Lifetime**	9
FS13973	Pro FG Single Sided Leaning 7 150kg Ind	**Limited Lifetime**	9
FS13974	Pro FG Single Sided Leaning 8 150kg Ind	**Limited Lifetime**	9
FS13975	Pro FG Single Sided Leaning 10 150kg Ind	**Limited Lifetime**	9
FS13976	Pro FG Single Sided Leaning 12 150kg Ind	**Limited Lifetime**	9
DOUBLE SIDED STEPLADDERS			
FS14019	Trade Lyte™ AL Double Sided 3 150kg Ind	**5 Years**	10
FS14020	Trade Lyte™ AL Double Sided 4 150kg Ind	**5 Years**	10
FS14021	Trade Lyte™ AL Double Sided 6 150kg Ind	**5 Years**	10
FS14143	Trade Lyte™ AL Double Sided 8 150kg Ind	**5 Years**	10
FS13960	Pro AL Double Sided 3 150kg Ind	**Limited Lifetime**	10
FS13961	Pro AL Double Sided 4 150kg Ind	**Limited Lifetime**	10
FS13963	Pro AL Double Sided 6 150kg Ind	**Limited Lifetime**	10
FS13965	Pro AL Double Sided 8 150kg Ind	**Limited Lifetime**	10
FS13977	Pro FG Double Sided 3 150kg Ind	**Limited Lifetime**	11
FS13978	Pro FG Double Sided 4 150kg Ind	**Limited Lifetime**	11
FS13980	Pro FG Double Sided 6 150kg Ind	**Limited Lifetime**	11
FS13981	Pro FG Double Sided 7 150kg Ind	**Limited Lifetime**	11
FS13982	Pro FG Double Sided 8 150kg Ind	**Limited Lifetime**	11
FS13983	Pro FG Double Sided 10 150kg Ind	**Limited Lifetime**	11
FS13984	Pro FG Double Sided 12 150kg Ind	**Limited Lifetime**	11
MULTI-PURPOSE LADDERS			
FS13644	BXS20 MKII Multi-Purpose 135kg Ind	**5 Years**	12
LEANSAFE X3 | 3 IN 1 MULTI-PURPOSE LADDER			
FS14129	AL Leansafe X3 3 in 1 Ladder 6 150Kg Ind	**5 Years**	14
FS14130	AL Leansafe X3 3 in 1 Ladder 7 150Kg Ind	**5 Years**	14
FS14131	AL Leansafe X3 3 in 1 Ladder 8 150Kg Ind	**5 Years**	14
FS14147	FG Leansafe X3 3 in 1 Ladder 6 150Kg Ind	**5 Years**	14
FS14148	FG Leansafe X3 3 in 1 Ladder 7 150Kg Ind	**5 Years**	14
FS14149	FG Leansafe X3 3 in 1 Ladder 8 150Kg Ind	**5 Years**	14
DUAL PURPOSE STEPLADDERS			
FS13988	Pro AL Dual Purpose 6 150kg Ind	**Limited Lifetime**	15
FS13989	Pro AL Dual Purpose 7 150kg Ind	**Limited Lifetime**	15
FS13990	Pro AL Dual Purpose 8 150kg Ind	**Limited Lifetime**	15
FS14022	Trade Lyte™ AL Dual Purpose 6 150kg Ind	**5 Years**	16
FS14023	Trade Lyte™ AL Dual Purpose 7 150kg Ind	**5 Years**	16
FS14024	Trade Lyte™ AL Dual Purpose 8 150kg Ind	**5 Years**	16
FS13668	FG Dual Purpose with Tree/Pole Support 6 150Kg Ind	**5 Years**	16
FS13669	FG Dual Purpose with Tree/Pole Support 7 150Kg Ind	**5 Years**	16
FS13670	FG Dual Purpose with Tree/Pole Support 8 150Kg Ind	**5 Years**	16
PRO STEP EXTENSION LADDER			
FS13985	Pro FG Step Extension 6 150kg Ind	**Limited Lifetime**	18
FS13986	Pro FG Step Extension 7 150kg Ind	**Limited Lifetime**	18
FS13987	Pro FG Step Extension 8 150kg Ind	**Limited Lifetime**	18
EXTENSION LADDERS			
FS14000	Extension Ladder Safety Device	**1 Year**	20
FS13908	AL Triple Ext 6/14 150kg Ind	**5 Years**	20
FS13905	Pro AL Ext Leveller 10 150kg Ind	**5 Years**	21
FS13906	Pro AL Ext Leveller 12 150kg Ind	**5 Years**	21
FS13897	Pro AL Ext 8 150kg Ind	**5 Years**	21
FS13898	Pro AL Ext 10 150kg Ind	**5 Years**	21
FS13899	Pro AL Ext 12 150kg Ind	**5 Years**	21
FS13900	Pro AL Ext 14 150kg Ind	**5 Years**	21
*FS13901	Pro AL Ext 16 150kg Ind	**5 Years**	21
*FS13902	Pro AL Ext 18 150kg Ind	**5 Years**	21
*FS13903	Pro AL Ext 20 150kg Ind	**5 Years**	21
FS13909	Pro FG FXN Ext 8 170kg Ind	**5 Years**	22
FS13910	Pro FG FXN Ext 10 170kg Ind	**5 Years**	22
FS13911	Pro FG FXN Ext 12 170kg Ind	**5 Years**	22
FS13912	Pro FG FXN Ext 14 170kg Ind	**5 Years**	22
FS13913	Pro FG FXN Ext 16 170kg Ind	**5 Years**	22
FS13914	Pro FG FXN Ext 18 160kg Ind	**5 Years**	22
FS13917	Pro FG FSXN Ext Vee 8 150kg Ind	**5 Years**	22

Product Number	Product Description	Product Warranty	Page
FS13918	Pro FG FSXN Ext Vee 10 150kg Ind	**5 Years**	22
FS13919	Pro FG FSXN Ext Vee 12 150kg Ind	**5 Years**	22
FS13920	Pro FG FSXN Ext Vee 14 150kg Ind	**5 Years**	22
FS13921	Pro FG FSXN Ext Vee 16 140kg Ind	**5 Years**	22
FS13890	Pro AL Single 7 150kg Ind	**5 Years**	23
FS13891	Pro AL Single 9 150kg Ind	**5 Years**	23
FS13892	Pro AL Single 11 150kg Ind	**5 Years**	23
FS13893	Pro AL Single 13 150kg Ind	**5 Years**	23
PLATFORM STEPLADDERS			
FS13999	AL Adjustable Height Platform 3-6 170kg Ind	**5 Years**	24
FS13931	Pro AL Platform 2 170kg Ind	**Limited Lifetime**	25
FS13932	Pro AL Platform 3 170kg Ind	**Limited Lifetime**	25
FS13933	Pro AL Platform 4 170kg Ind	**Limited Lifetime**	25
FS13934	Pro AL Platform 5 170kg Ind	**Limited Lifetime**	25
FS13935	Pro AL Platform 6 170kg Ind	**Limited Lifetime**	25
FS13936	Pro AL Platform 7 170kg Ind	**Limited Lifetime**	25
FS13937	Pro AL Platform 8 170kg Ind	**Limited Lifetime**	25
FS13538	AL P170 Job Station 3 170kg Ind	**5 Years**	25
FS13539	AL P170 Job Station 4 170kg Ind	**5 Years**	25
FS13540	AL P170 Job Station 5 170kg Ind	**5 Years**	25
FS13541	AL P170 Job Station 6 170kg Ind	**5 Years**	25
FS13542	AL P170 Job Station 7 170kg Ind	**5 Years**	25
FS13543	AL P170 Job Station 8 170kg Ind	**5 Years**	25
FS13544	AL P170 Job Station 10 170kg Ind	**5 Years**	25
FS13545	AL P170 Job Station 12 170kg Ind	**5 Years**	25
FS14066	AL P150 3 150kg Ind	**5 Years**	26
FS14067	AL P150 4 150kg Ind	**5 Years**	26
FS14068	AL P150 5 150kg Ind	**5 Years**	26
FS14069	AL P150 6 150kg Ind	**5 Years**	26
FS13868	Retail Platform Step Stool 2 120Kg Ind	**1 Year**	26
FS13869	Retail Platform Step Stool 3 120Kg Ind	**1 Year**	26
FS13870	Retail Platform Step Stool 4 120Kg Ind	**1 Year**	26
FS13945	Pro FG Platform 2 170Kg Ind	**Limited Lifetime**	27
FS13946	Pro FG Platform 3 170Kg Ind	**Limited Lifetime**	27
FS13947	Pro FG Platform 4 170Kg Ind	**Limited Lifetime**	27
FS13948	Pro FG Platform 5 170Kg Ind	**Limited Lifetime**	27
FS13949	Pro FG Platform 6 170Kg Ind	**Limited Lifetime**	27
FS13950	Pro FG Platform 7 170Kg Ind	**Limited Lifetime**	27
FS13951	Pro FG Platform 8 170Kg Ind	**Limited Lifetime**	27
FS13530	FG P170 Job Station 3 170kg Ind	**5 Years**	27
FS13531	FG P170 Job Station 4 170kg Ind	**5 Years**	27
FS13532	FG P170 Job Station 5 170kg Ind	**5 Years**	27
FS13533	FG P170 Job Station 6 170kg Ind	**5 Years**	27
FS13534	FG P170 Job Station 7 170kg Ind	**5 Years**	27
FS13535	FG P170 Job Station 8 170kg Ind	**5 Years**	27
FS13536	FG P170 Job Station 10 170kg Ind	**5 Years**	27
FS13537	FG P170 Job Station 12 170kg Ind	**5 Years**	27
FS13991	Castor Kit (White) - AL Pro 2-5/FG Pro 2-3/ Extreme 2-6	**1 Year**	27
FS13992	Castor Kit (Yellow) - AL Pro 6-7/FG Pro 4-6/ Extreme 7	**1 Year**	27
FS13993	Castor Kit (Green) - AL Pro 8/FG Pro 7-8/ Extreme 8	**1 Year**	27
FS13954	PFS Safety Gate Kit (P170 AL & FG)	**1 Year**	27
FS14070	FG P150 3 150kg Ind	**5 Years**	28
FS14071	FG P150 4 150kg Ind	**5 Years**	28
FS14072	FG P150 5 150kg Ind	**5 Years**	28
FS14073	FG P150 6 150kg Ind	**5 Years**	28
FS13952	PFS Safety Gate Kit (suits Bailey Adjustable Height Platform, Pro-Punchlock® & P150 models)	**1 Year**	28
FS13953	PFS Safety Gate Kit (Ext & Ladderweld)	**1 Year**	28
FS14096	Castor Kit White	**1 Year**	28
FS14097	Castor Kit Yellow	**1 Year**	28
INDUSTRIAL TWIN PLATFORM STEP STOOL			
FS14040	AL Ind Twin Platform Step Stool 3 135kg Ind	**1 Year**	29
FS14041	AL Ind Twin Platform Step Stool 4 135kg Ind	**1 Year**	29
FS14042	FG Ind Twin Platform Step Stool 3 135kg Ind	**1 Year**	29
FS14043	FG Ind Twin Platform Step Stool 4 135kg Ind	**1 Year**	29
SAFETY STEPS & ATTIC LADDER			
*FS13750	AL Stairway Ladder with Safety Rail 2 150kg Ind	**1 Year**	30

Product Number	Product Description	Product Warranty	Page
*FS13751	AL Stairway Ladder with Safety Rail 3 150kg Ind	**1 Year**	30
*FS13752	AL Stairway Ladder with Safety Rail 4 150kg Ind	**1 Year**	30
*FS13753	AL Stairway Ladder with Safety Rail 5 150kg Ind	**1 Year**	30
FS13560	AL Attic Ladder 170kg Domestic	**1 Year**	30
Note	*Items are MTO only. Contact customer service for further information.		
ORDER PICKERS & ACCESS PLATFORMS			
FS13873	OP Platform 2 MK3 150kg Ind	**5 Years**	32
FS13874	OP Platform 3 MK3 150kg Ind	**5 Years**	32
FS13875	OP Platform 4 MK3 150kg Ind	**5 Years**	32
FS13876	OP Platform 5 MK3 150kg Ind	**5 Years**	32
FS13877	OP Platform 6 MK3 150kg Ind	**5 Years**	32
FS13878	OP Platform 7 MK3 150kg Ind	**5 Years**	32
FS13879	OP Platform 8 MK3 150kg Ind	**5 Years**	32
FS13591	Access Platform 3 200kg Ind	**5 Years**	32
FS13592	Access Platform 4 200kg Ind	**5 Years**	32
FS13593	Access Platform 5 200kg Ind	**5 Years**	32
FS13594	Access Platform 6 200kg Ind	**5 Years**	32
FS13595	Access Platform 7 200kg Ind	**5 Years**	32
FS13596	Access Platform 8 200kg Ind	**5 Years**	32
FS13597	Access Platform 10 200kg Ind	**5 Years**	32
FS13598	Access Platform 12 200kg Ind	**5 Years**	32
FS13599	Access Platform 14 200kg Ind	**5 Years**	32
FS13817	Rear Tilt Castors	**1 Year**	32
MODULAR ACCESS/PLATFORM SYSTEMS			
FS13789	Modular Access System 1.0m Platform	**5 Years**	33
FS13790	Modular Access System 2.0m Platform	**5 Years**	33
FS13791	Modular Access System 3 Step Upright	**5 Years**	33
FS13792	Modular Access System 4 Step Upright	**5 Years**	33
FS13793	Modular Access System 5 Step Upright	**5 Years**	33
FS13794	Modular Access System 6 Step Upright	**5 Years**	33
FS13855	Modular Access System Plus Platform	**5 Years**	33
FS13856	Modular Access System Joiner Platform	**5 Years**	33
FS13857	Modular Access System Plus Platform Spreader	**5 Years**	33
Spare Parts Diagram	Ladderweld Access Platforms - Spare Parts Diagram		34-35

BAILEY

WERNER

ladderspares.com.au

FINALLY, WE MADE FINDING ‘LADDER SPARE PARTS’ EASY!

TO IDENTIFY WHICH SPARES ARE AVAILABLE, SIMPLY LOGIN TO WWW.LADDERSPARES.COM.AU AND FOLLOW THE PROMPTS.

HOW TO FIND SPARE PARTS

Step 1
Scan this QR code using your smart phone or visit www.ladderspares.com.au

Step 2
If you know the actual code of the ladder, enter this into the ‘Enter Product Code’ cell.

If you don’t know the code, continue using the search criteria below this field.

Step 3
Select the ladder brand.

Step 4

Select the ladder type or design.
For example, a double sided stepladder

Step 5
What material is the ladder made from?
For example, fibreglass or aluminium

Step 6
Is the ladder riveted or Punchlock®?

Step 7
What size is the ladder? Count the number of treads or rungs, Eg. 6 foot

Step 8
Select the Load Rating of the ladder (100-170kg).

FOR FURTHER INFORMATION, PLEASE CONTACT OUR CUSTOMER CARE CENTRE 1300 760 717

BAILEYLADDERS.COM.AU

Orders: aus.orders@prodrivenbrands.com
Claims: aus.rma@prodrivenbrands.com
General Enquiries: aus.customercare@prodrivenbrands.com



ORDERS: AUS 1300 760 717 | NZ 0800 230 004

SPARE PARTS FINDER

Welcome to the WernerCo Australia & New Zealand Spare Parts database.

4' PORTABLE WORK STAND 30" W	TW374-30AZ
12' FIBREGLASS TWIN FRONT LDR 150 KG	T6312AZ
10' FIBREGLASS TWIN FRONT LDR 150 KG	T6310AZ
8' FIBREGLASS TWIN	T6308AZ

VISIT OUR WEBSITE

FOR FURTHER INFORMATION, PLEASE CONTACT OUR CUSTOMER CARE CENTRE 1300 760 717

BAILEYLADDERS.COM.AU

Orders: aus.orders@prodrivenbrands.com
Claims: aus.rma@prodrivenbrands.com
General Enquiries: aus.customercare@prodrivenbrands.com

Download PDF

Werner Co. Australia Pty Ltd A.B.N. 88 151 127 061

All details in this brochure are correct at time of printing (March 2025).
Werner Co. Australia reserves the right to alter product specifications at any time without notice.

DOC25.0019 ©2025 Werner Co. Australia